



SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

MANUFACTURER OR FORMULATOR: J.R. Simplot Company P.O. Box 70013 Boise, ID 83707	PRODUCT NAME: Ammonium Nitrate Solution (20-0-0 AN) COMMON NAME: Ammonium Nitrate 57% Aqueous Solution CHEMICAL TYPE: Salt solution
EMERGENCY PHONE – CHEMTREC: 1-800-424-9300	

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL	C.A.S. No.	CHEMICAL FORMULA	WT%	TLV	PEL
Ammonium Nitrate	6484-52-2	NH ₄ NO ₃	Hazardous 57.1%	N.E.	Not available
Water	7732-18-5	H ₂ O	Non-hazardous 42.9%	Not listed	Not available

SECTION 3: HAZARDS IDENTIFICATION

INGESTION: No hazard in normal industrial use. Ingestion of large amount may cause systemic ammonia poisoning and nitrate poisoning.
INHALATION: No hazard under normal conditions.
EYE CONTACT: May be aggravating to eyes.
SKIN ABSORPTION: Not absorbed through skin.
SKIN CONTACT: May be aggravating to skin.
EFFECTS OF OVERDOSE: Ingestion of large amounts may cause dizziness, abdominal cramps, vomiting and diarrhea, discomfort to skin and eyes.

SECTION 4: FIRST AID MEASURES

INGESTION: For ingestion of large amounts, give 2-3 glasses of water and induce vomiting. Seek medical attention if condition persists.
INHALATION: If exposed to thermal decomposition gases, evacuate the person from area and if necessary, give artificial resuscitation. Keep person at rest and call a physician.
EYES: Flush eyes with fresh running water for 15 minutes. If condition persists, call a physician.
SKIN: Wash skin with soap and water. Seek medical attention if condition persists.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Non-flammable liquid. Use media suitable to extinguish source of fire.
SPECIAL FIRE FIGHTING PROCEDURES: None in liquid state.
UNUSUAL FIRE AND EXPLOSION HAZARDS: None in liquid state. Organic and oxidizable materials can sensitize dry Ammonium Nitrate to a readily explodable state; can detonate if heated under confinement with high pressure.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ENVIRONMENT PRECAUTIONS: Low toxicity for fish. Do not contaminate any waterway or any body of water by direct application, cleaning of equipment, or disposal.
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dike area and maximize recovery. Pump into tank or absorb in diatomaceous earth. Sweep up and place into containers for recycle or disposal. Wash area with water. Prevent entry into sewer or watercourses.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Temperature should be between 50°F to 140°F to keep solution liquid and pumpable. Do not expose to fire. Store in a well ventilated area. DO NOT ALLOW TO DRY.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION PROTECTION: Adequate ventilation.
RESPIRATORY PROTECTION: None required under normal conditions.
PROTECTIVE CLOTHING: Normal work clothing and impervious gloves.
EYE PROTECTION: Safety glasses with side shields or chemical splash-proof goggles.
OTHER: Eyewash fountain and safety shower in area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<p>BOILING POINT: Salt decomposes @ 350°F SPECIFIC GRAVITY: 1.270 @ 60°F FLASHPOINT: Non-flammable pH: 10% solution: 4.5-5.0 APPEARANCE: Clear solution. EXTINGUISHING MEDIA: Water or media suitable to extinguish source of fire.</p>	<p>SOLUBILITY IN WATER: Complete % VOLATILES (BY VOLUME): Not applicable VAPOR PRESSURE, mm Hg: Not applicable REACTION WITH WATER: None</p>
--	---

SECTION 10: STABILITY AND REACTIVITY

STABILITY (NORMAL CONDITIONS): Stable
CONDITIONS TO AVOID: High temperatures and fire conditions.
INCOMPATIBILITY (MATERIAL TO AVOID): Organic and easily oxidizable matter.
HAZARDOUS DECOMPOSITION PRODUCTS: Under extreme fire conditions, may liberate hazardous gases of oxides of nitrogen and ammonia.
HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE DERMAL TOXICITY: LD₅₀ (rat) is greater than 5,000 mg/kg (ppm); not acutely toxic by dermal exposure. (TFI Product Testing Results, OECD Guideline 402)
ACUTE ORAL TOXICITY: LD₅₀ (rat) is 1,480-1,770 mg/kg; not acutely toxic by oral exposure. (TFI Product Testing Results, OECD Guideline 425)
ACUTE INHALATION TOXICITY: 4-hour LC₅₀ (rat) is greater than 88,8000 mg/m³, not toxic by inhalation. (TFI Product Testing Results)
ACUTE AQUATIC TOXICITY: Fish 48-hour LC₅₀ is 95-102 mg total NH₃/L; daphnia 24-hour EC₅₀: 124.9 mg total NH₃/L. Slightly toxic to aquatic organisms. (TFI Product Testing Results)

SECTION 12: ECOLOGICAL INFORMATION

NONE LISTED.

SECTION 13: DISPOSAL CONSIDERATIONS

WAST DISPOSAL PROCEDURES: Pump into tank or absorb in diatomaceous earth product, sweep up and place into container for use or disposal. Follow local, state and federal regulations for disposal. Could be used as a fertilizer using good agronomic practices.

SECTION 14: TRANSPORT INFORMATION

<p>SHIPPING NAME: Not regulated by D.O.T. HAZARD CLASS: None REPORTABLE QUANTITY (RQ): None LABELS REQUIRED: None PLACARD: None</p>	<p>C.A.S. NUMBER: See "Ingredients" D.O.T. NUMBER: None HAZ WASTE NO: None EPA REGIST NO: None</p>
--	---



SECTION 15: REGULATORY INFORMATION			
CARCINOGENICITY: By IARC: <u>No</u> By NTP: <u>No</u> This product contains ammonium nitrate solution which is subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.			
SECTION 16: OTHER INFORMATION			
FLASH POINT (TEST METHOD): No –flammable AUTOIGNITION TEMPERATURE: Not applicable N.F.P.A. (National Fire Protection Association) Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Specific: None Note: If allowed to salt out, material may exhibit oxidizer characteristics.	FLAMMABLE LIMITS (% BY VOLUME)	LOWER N/A	UPPER N/A
REASON FOR REVISION: Annual revision SDS PREPARED BY: CALAMCO			
This information is taken from sources or based upon data believed to be reliable, however, CALAMCO makes no warranty as to the absolute correctness or sufficiency or any of the foregoing or that additional or other measures may not be required under particular conditions.			